



Notes

1. This sign is to be used near range crossings or in areas where very wide loads are escorted through a narrow section of road which does not allow safe passing of vehicles. It is used to instruct drivers to park in designated parking areas when directed by the police escort.
2. When increased visibility for this sign may be required, the option of flashing light assembly TC1977_2 may be used.
3. Centre edge strip to be 25mm x 25mm blue and white checker.
4. For designated parking area sign see page 3.

Colour Legend

	Retroreflective white
	Retroreflective yellow
	Retroreflective blue
	Black



**Queensland
Government**

SPECIAL WARNING SIGN "VERY WIDE LOADS ZONE"

Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

Designed
TV 08/12

Checked
DJ 08/12

Scale
Not to Scale


PRINCIPAL ENGINEER
(Traffic Engineering)

28/08/12
Date

TC1977_1

Page 1 of 3

A ☐ ☐ ☐ ☐ ☐



Example

Notes

1. This flashing light panel is to be used in conjunction with TC1977_1 and may be installed as option to and enhance the visibility of TC1977_1.
2. The combined signs are to be used near range crossings or in areas where very wide loads are escorted through a narrow section of road which does not allow safe passing of vehicles. It is used to instruct drivers to park in designated parking areas when directed by the police escort. See example.
3. Use of the flashing lights shall only be used where they can be actively controlled by authorised personnel.
4. Flashing lights shall meet the requirements of AS2144 for 200 mm diameter signal lanterns.
5. Stiffener rails to be placed so as not to interfere with the light assembly.
6. * Dimensions may vary with post spacing. (Example posts spacing are based on 60% of overall sign width and installed in wind region B).
7. For designated parking area sign see page 3.

Colour Legend

- Black
- Yellow lights



**Queensland
Government**

SPECIAL WARNING SIGN "FLASHING LIGHT ASSEMBLY"


Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

Designed
TV 08/12

Checked
DJ 08/12

Scale
Not to Scale



PRINCIPAL ENGINEER
(Traffic Engineering)

28/08/12
Date

TC1977_2

Page 2 of 3

A ☐ ☐ ☐ ☐ ☐



Colour Legend

- Retroreflective white
- Retroreflective yellow
- Retroreflective blue
- Black

Notes

1. This sign is to be used at the locations of designated parking areas in conjunction with TC1977_1 in areas where very wide loads are escorted through a narrow section of road which does not allow safe passing of vehicles. Refer to page 1



**Queensland
Government**

PARKING AREA SIGN "PARK HERE IF DIRECTED"

Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

TC1977_3

Designed
TV 08/12

Checked
DJ 08/12

Scale
Not to Scale


PRINCIPAL ENGINEER
(Traffic Engineering)

28/08/12
Date

Page 3 of 3

A ☐ ☐ ☐ ☐ ☐