



Colour Legend

	Retroreflective white
	MODERATE PANTONE 368 C
	HIGH PANTONE 7405 C
	EXTREME PANTONE 151 C
	CATASTROPHIC PANTONE 485 C
	Black

Notes:

1. Fire danger warning signs are to be used to inform of the fire rating in the surrounding area.
2. The fire danger legend to be Highway Gothic Wide 33 mm high (e.g. EXTREME).
3. * Font to be Highway Gothic Wide.
4. ** Font to be Highway Gothic Regular.
5. For the indication meter, a colour overlay film should be used over a Class 1W retroreflective white sheeting.
6. For plate details see page 2 and 3.
7. For installation details of the supplementary information plates see page 4.
8. For pointer details and fixing see page 5.
9. For electronic version of the sign refer to TC2370.



**Queensland
Government**

INFORMATION SIGN YOUR FIRE RISK TODAY (STATIC)

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

Designed
RH 09/22

Checked
JP 09/22

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering)


19/09/22
Date

TC2369


Page 1/5

A ☐ ☐ ☐ ☐ ☐


Month plates



Font: Highway Gothic Wide



Numerical plates



Font: Highway Gothic Wide

Colour Legend

☐ Retroreflective white

☒ Black



**Queensland
Government**

INFORMATION SIGN PLATE DETAILS

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

TC2369

Designed
RH 09/22

Checked
JP 09/22

Scale
Not to Scale


PRINCIPAL ENGINEER
(Traffic Engineering)

19/09/22
Date

Page 2/5

A ☐ ☐ ☐ ☐ ☐

Information plates



Font: Highway Gothic Wide



Font: Highway Gothic Wide



Font: Highway Gothic Wide



Font: Highway Gothic Narrow



Blank plate

Colour Legend

	Retroreflective white		EXTREME PANTONE 151 C
	MODERATE PANTONE 368 C		CATASTROPHIC PANTONE 485 C
	HIGH PANTONE 7405 C		Black



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

INFORMATION SIGN PLATE DETAILS

APPROVED AS OFFICIAL TRAFFIC SIGN

PRINCIPAL ENGINEER
(Traffic Engineering)

19/09/22
Date

TC2369

Page 3/5

Designed
RH 09/22

Checked
JP 09/22

Scale
Not to Scale

A ☐ ☐ ☐ ☐



REVERSIBLE INFORMATION PLATE




SIDE A



SIDE B

INFORMATION PLATE ATTACHMENT DETAIL



Notes:

1. The supplementary plate has a separate message on either side and can be reversed as required.
2. Supplementary plate to be 3mm in thickness.
3. Minimum of 6 mm hook bolts and U bolts should be utilised.



**Queensland
Government**

**INFORMATION SIGN
PLATE ATTACHMENT DETAILS**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

19/09/22
Date

R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

TC2369


Page 4/5

Designed
RH 09/22

Checked
JP 09/22

Scale
Not to Scale

A ☐ ☐ ☐ ☐ ☐



FIXING DETAILS

Colour Legend

- Retroreflective white
- Black

Notes:

1. The pointer should be 10 mm aluminium.
2. All attachments to the pointer should not be exposed to its face and should not interfere with the surface sheeting.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
RH 09/22

Checked
JP 09/22

Scale
Not to Scale

INFORMATION SIGN POINTER DETAILS

APPROVED AS OFFICIAL TRAFFIC SIGN

[Signature]
PRINCIPAL ENGINEER
(Traffic Engineering)

19/09/22
Date

TC2369

Page 5/5

A