



| | a | b | c | d | e | f | g | h | k | m | n | o | p | r |
|---|------|------|----|----|-----|-----|-----|-----|-----|------|-----|------|-----|-----|
| A | 1500 | 750 | 15 | 30 | 75 | 70 | 80 | 60 | 50 | 100D | 55 | 100E | 90 | 75 |
| B | 3000 | 1500 | 30 | 60 | 150 | 140 | 160 | 120 | 100 | 200D | 110 | 200E | 180 | 150 |



EXAMPLE

Colour Legend

- ☐ Retroreflective white
- ☒ Retroreflective blue
- ☒ Retroreflective yellow

Notes:

1. This sign may be installed in advance of a tolling point. It is generally installed 1 km in advance of the Toll Point, however may be installed at an alternative advance distance (e.g. 2 km) only if the 1 km location is not suitable.
2. If visibility (or other constraints) require a different location, replace "1" with the appropriate distance to the nearest kilometre.
3. * Text is Helvetica Bold or equivalent.
4. ** Insert appropriate distance, e.g. 1 km.
5. Size B to be used where the speed limit is greater than 80 km/h.
6. If entrances are located between the advance sign and the toll point, sign TC1968_2 must also be used.
7. Refer to TC1971 for typical toll point signage layouts.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 7/12

Checked
DJ 11/18

Scale
Not to Scale

TOLL ROAD INFORMATION SIGN

"TOLL POINT X km AHEAD"

APPROVED AS OFFICIAL TRAFFIC SIGN

[Signature]
PRINCIPAL ENGINEER
(Traffic Engineering)

28/11/18
Date

TC1968_1

Page 1 of 2

| | | | |
|---|---|---|---|
| A | B | C | D |
|---|---|---|---|



| | a | b | c | d | e | f | g | h | k | m | n | o | p | r |
|---|------|------|----|----|-----|-----|-----|-----|-----|------|-----|------|-----|-----|
| A | 1500 | 750 | 15 | 30 | 75 | 70 | 80 | 60 | 50 | 100D | 55 | 100E | 90 | 75 |
| B | 3000 | 1500 | 30 | 60 | 150 | 140 | 160 | 120 | 100 | 200D | 110 | 200E | 180 | 150 |



EXAMPLE

Colour Legend

- ☐ Retroreflective white
- ☒ Retroreflective blue
- ☒ Retroreflective yellow

Notes:

- Sign only to be used in conjunction with TC 1968_1 and in advance of a Toll Point but only where entrances are located between that advance sign and the toll point.
- If visibility (or other constraints) require a different location, replace with the appropriate distance to the nearest 100 m (e.g. 300 m or 500 m).
- * Text is Helvetica Bold or equivalent.
- ** Insert appropriate distance, e.g. 300 m.
- Size B to be used where the speed limit is greater than 80 km/h.
- Refer to TC1971 for typical toll point signage layouts.



Queensland
Government

TOLL ROAD INFORMATION SIGN

"TOLL POINT X m AHEAD"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

28/11/18
Date

TC1968_2

Page 2 of 2

Designed
TV 7/12

Checked
DJ 11/18

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering)

A B C D