

	a	b	c	d	e	f	g	h	k	m	n	o	p	r	r ₁
A	1200	1600	16	32	6	18	150	64	80DN/60LC	56	480	960	80DM	150	40
B	1500	2000	20	40	8	24	190	80	100DN/75LC	70	600	1200	100DM	200	50

Colour Legend

- Retroreflective red (sign background)
- Retroreflective yellow (warning signs background)
- Black (warning signs legend and border)

Notes

1. This sign is to be used to warn for slow turning trucks entering from the left.
2. For slow turning trucks right or ahead warning sign options, refer to TC1564_2 and TC1564_3.
3. For slow merging trucks warning sign refer to TC1564_4.
4. For quarry entrance warning signs refer to TC1564_5 and TC1564_6.
5. * Insert appropriate distance in metres. e.g 300 or 500.



**Queensland
Government**

SPECIAL WARNING SIGN

**"SLOW TURNING TRUCKS
... m ON LEFT"**

Road Safety and Systems Management Division
Road Safety Unit

APPROVED AS OFFICIAL TRAFFIC SIGN

22/08/11
Date

Designed
RH 08/05

Checked
DJ 10/07


Scale
Not to Scale

[Signature]
PRINCIPAL ENGINEER
(Traffic Engineering)

TC1564_1

Page 1/6

A B C D E



	a	b	c	d	e	f	g	h	k	m	n	o	p	r	r ₁
A	1200	1600	16	32	6	18	150	64	80DN/60LC	56	480	960	80DM	150	40
B	1500	2000	20	40	8	24	190	80	100DN/75LC	70	600	1200	100DM	200	50

Colour Legend

- Retroreflective red (sign background)
- Retroreflective yellow (warning signs background)
- Black (warning signs legend and border)

Notes

1. This sign is to be used to warn for slow turning trucks entering from the right.
2. For slow turning trucks left or ahead warning sign options, refer to TC1564_1 and TC1564_3.
3. For slow merging trucks warning sign refer to TC1564_4.
4. For quarry entrance warning signs refer to TC1564_5 and TC1564_6.
5. * Insert appropriate distance in metres. e.g 300 or 500.



**Queensland
Government**

SPECIAL WARNING SIGN

"SLOW TURNING TRUCKS ... m ON RIGHT"

Road Safety and Systems Management Division
Road Safety Unit

APPROVED AS OFFICIAL TRAFFIC SIGN

22/08/11
Date

Designed
RH 08/05

Checked
DJ 10/07

Scale
Not to Scale

[Signature]
PRINCIPAL ENGINEER
(Traffic Engineering)

TC1564_2

Page 2/6

A B C D E



	a	b	c	d	e	f	g	h	k	m	n	o	r	r ₁
A	1200	1400	16	32	6	18	140	72	80DM	56	360	960	150	40
B	1500	1800	20	40	8	24	170	90	100DM	70	450	1200	200	50

Colour Legend

- Retroreflective red (sign background)
- Retroreflective yellow (warning signs background)
- Black (warning signs legend and border)

Notes

1. This sign is to be used to warn for slow turning trucks ahead.
2. For slow turning trucks left or right warning sign options, refer to TC1564_1 and TC1564_2.
3. For slow merging trucks warning sign refer to TC1564_4.
4. For quarry entrance warning signs refer to TC1564_5 and TC1564_6.



Queensland
Government

SPECIAL WARNING SIGN "SLOW TURNING TRUCKS AHEAD"

Road Safety and Systems Management Division
Road Safety Unit

APPROVED AS OFFICIAL TRAFFIC SIGN

Designed
RH 08/05

Checked
DJ 10/07

Scale
Not to Scale



PRINCIPAL ENGINEER
(Traffic Engineering)

22/08/11
Date

TC1564_3

Page 3/6

A B C D E



	a	b	c	d	e	f	g	h	k	m	n	o	p	r	r ₁
A	1200	1600	16	32	6	18	150	64	80DN/60LC	56	480	960	80DM	150	40
B	1500	2000	20	40	8	24	190	80	100DN/75LC	70	600	1200	100DM	200	50

Colour Legend

- Retroreflective red (sign background)
- Retroreflective yellow (warning signs background)
- Black (warning signs legend and border)

Notes

1. This sign is to be used to warn for slow merging trucks ahead.
2. For slow turning trucks options warning sign refer to TC1564_1, TC1564_2 or TC1564_3.
3. For quarry entrance warning signs see TC1564_5 and TC1564_6.
4. * Insert appropriate distance in metres. e.g 300 or 500.



**Queensland
Government**

SPECIAL WARNING SIGN "SLOW MERGING TRUCKS ... m AHEAD"

Road Safety and Systems Management Division
Road Safety Unit

APPROVED AS OFFICIAL TRAFFIC SIGN

22/08/11
Date

Designed
TV 02/11

Checked
DJ 02/11


Scale
Not to Scale

[Signature]
PRINCIPAL ENGINEER
(Traffic Engineering)

TC1564_4

Page 4/6

A B C D E



	a	b	c	d	e	f	g	h	k	m	n	o	p	r	r ₁
A	1200	1600	16	32	6	18	150	64	80DN/60LC	56	480	960	80DM	150	40
B	1500	2000	20	40	8	24	190	80	100DN/75LC	70	600	1200	100DM	200	50

Colour Legend

- Retroreflective red (sign background)
- Retroreflective yellow (warning signs background)
- Black (warning signs legend and border)

Notes

1. This sign is to be used to warn for trucks entering or exiting a quarry entrance.
2. For quarry entrances on right see TC1564_6.
3. For slow turning trucks and slow merging trucks warning signs, refer to TC1564_1, TC1564_2, TC1564_3 and TC1564_4.
4. * Insert appropriate distance in metres. e.g 300 or 500.



**Queensland
Government**

SPECIAL WARNING SIGN

**"QUARRY ENTRANCE
... m ON LEFT"**

Road Safety and Systems Management Division
Road Safety Unit

APPROVED AS OFFICIAL TRAFFIC SIGN

22/08/11
Date

Designed
TV 02/11

Checked
DJ 02/11


Scale
Not to Scale

[Signature]
PRINCIPAL ENGINEER
(Traffic Engineering)

TC1564_5

Page 5/6

A B C D E



	a	b	c	d	e	f	g	h	k	m	n	o	p	r	r ₁
A	1200	1600	16	32	6	18	150	64	80DN/60LC	56	480	960	80DM	150	40
B	1500	2000	20	40	8	24	190	80	100DN/75LC	70	600	1200	100DM	200	50

Colour Legend

- Retroreflective red (sign background)
- Retroreflective yellow (warning signs background)
- Black (warning signs legend and border)

Notes

1. This sign is to be used to warn for trucks entering or exiting a quarry entrance.
2. For quarry entrances on left see TC1564_5.
3. For slow turning trucks and slow merging trucks warning signs, refer to TC1564_1, TC1564_2, TC1564_3 and TC1564_4.
4. * Insert appropriate distance in metres. e.g 300 or 500.



**Queensland
Government**

SPECIAL WARNING SIGN

"QUARRY ENTRANCE
... m ON RIGHT"

Road Safety and Systems Management Division
Road Safety Unit

APPROVED AS OFFICIAL TRAFFIC SIGN

22/08/11
Date

Designed
RH 08/05

Checked
DJ 10/07

Scale
Not to Scale

[Signature]
PRINCIPAL ENGINEER
(Traffic Engineering)

TC1564_6

Page 6/6

A B C D E